

Vertiv™ Geist™ PDU ファインダーの使い方

Vertiv Geist製品一次販売代理店



明京電機株式会社

〒114-0012 東京都北区田端新町1-1-14
東京フェライトビル


TEL: 03-3810-5580

URL: <https://www.meikyo.co.jp/>



PDU ファインダーの使い方

PDUファインダーではお探しの要件に合うPDUの型番(Part number)をお探しいただけます



1. URLにアクセスします : <https://www.vertiv.com/en-asia/>

The screenshot shows the Vertiv website's navigation menu. The 'Products & Services' menu item is highlighted with an orange box and an arrow labeled '1'. The dropdown menu for 'Products & Services' is open, showing five main categories: Critical Power, Thermal Management, Racks & Enclosures, Monitoring & Management, and Services. Below these categories is a section titled 'Tools and Product Registration' which contains several links. The link 'Use the rPDU Finder' is highlighted with an orange box and an arrow labeled '2'. At the bottom of the page, there are four icons with labels: 'information', 'Find product support', 'software/firmware', and 'Login'. The 'Product Registration' icon is also visible on the right side of the page.

Japan, English (ASIA) My Account Login Partner Login

Products & Services Solutions Support About Partners Investors Contact

Critical Power
Uninterruptible Power Supplies (UPS)
DC Power Systems
Power Distribution
Industrial AC and DC Systems
Static Transfer Switches
Power Control & Monitoring

Thermal Management
Enclosure Cooling
Heat Rejection
High Density Solutions
Outdoor Packaged Systems
Room Cooling
In-Row Cooling
Rack Cooling
Evaporative Free Cooling
Free Cooling Chillers
Condensers & Drycoolers
Thermal Control and Monitoring

Racks & Enclosures
Integrated Solutions
Racks & Containment
Outdoor Enclosures

Monitoring & Management
Serial Console
Secure KVM
IP KVM Switches
Desktop KVM and KM
Software
Monitoring

Services
Project & Commissioning Services
Preventive Maintenance for Industrial
Preventive Maintenance
Remote Services
Performance Optimization Services
Spare Parts & Parts Management

Tools and Product Registration
Calculate Cooling Economization
UPS Sizing Tool
Use the rPDU Finder
Calculate Cooling Retrofit Savings
GXT5 Runtime Tool
IT Management and Rack PDU Product Selectors
Product Registration

information Find product support software/firmware Login Product Registration

2. トップページから「Products & Service」→「Use the rPDU Finder」の順にクリックします。

rPDU Finder

Find the rack PDU most suitable for your application using the rPDU Finder.

Can't find what you need? Contact sales@vertiv.com or [your local Vertiv representative](#) with your requirements to design and configure your rack PDU. [Click here](#) for more on custom rPDU options.




2. 地域を選択します。日本であれば「APAC」→「Japan」の順にクリックをします。

rPDU Finder

Find the rack PDU most suitable for your application using the rPDU Finder.











Can't find what you need? Contact sales@vertiv.com or [your local Vertiv representative](#) with your requirements to design and configure your rack PDU. [Click here](#) for more on custom rPDU options.

 [Show Map](#) [Reset](#)

Country: PDU Type: PDU Subtype: Amps: Volts: kW: Plug Type: Configuration: PDU Length:

Plug Form: Receptacle Type: Total Receptacle: Local Display: Breaker: Stocked: Universal: Upgradeable:


Applied Filters:

Part #	Model #	Type	Sub Category	Amps	Volts	Rackmount Length	Cord Length	Plug Type	Receptacle (QTY)	Local Meter	Universal	Upgradeable
UU30010L	DUU3EGW1-30PHB7-2S02A9K00-S-A	  Switched	Outlet Level Monitoring EC	Variable	Variable	72in / 1829mm	None	Universal Input	Locking IEC C13 (18) Locking IEC C19 (12)	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
UU30009L	DUU3EGW1-36PT67-1S02A9K00-S-A	  Switched	Outlet Level Monitoring EC	Variable	Variable	72in / 1829mm	None	Universal Input	Locking IEC C13 (30) Locking IEC C19 (6)	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
US30015L	DUS3EGW1-30PHB7-2S02A9K00-S-A	  Switched	Unit Level Monitoring EC	Variable	Variable	72in / 1829mm	None	Universal Input	Locking IEC C13 (18) Locking IEC C19 (12)	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
US30014L	DUS3EGW1-36PT67-1S02A9K00-S-A	  Switched	Unit Level Monitoring EC	Variable	Variable	72in / 1829mm	None	Universal Input	Locking IEC C13 (30) Locking IEC C19 (6)	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
UR30007L	DUR3EGW1-30PHB7-2S02A9K00-S-A	  Monitored	Outlet Level EC	Variable	Variable	72in / 1829mm	None	Universal Input	Locking IEC C13 (18) Locking IEC C19 (12)	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>

3. ページが切り替わり、該当件数が表示されます。

実際に以下の要件のPDUを探してみましょう

- バーティカルタイプ 30A, 200V
- レセプタクルC13
- ユニットレベルの電力監視
- 環境監視センサーポート



rPDU Finder

Find the rack PDU most suitable for your application using the rPDU Finder.

Can't find what you need? Contact sales@vertiv.com or [your local Vertiv representative](#) with your requirements to design and configure your rack PDU. [Click here](#) for more on custom rPDU options.

Search by Product Part Number

SEARCH Reset

Country: Japan

Configuration: Vertical

Search Results: 84 Applied Filters: Country: Japan

Part #	Model #	Type	Sub Category	Amps	Volts	Rackmount Length	Cord Length	Plug Type	Receptacle (QTY)	Local Meter	Universal	Upgradeable
UU30010L	DUU3EGW1-30PHB7-2S02A9K00-S-A	Switched	Outlet Level Monitoring EC	Variable	Variable	72in / 1829mm	None	Universal Input	Locking IEC C13 (18) Locking IEC C19 (12)	✓	✓	✓
UU30009L	DUU3EGW1-36PT67-1S02A9K00-S-A	Switched	Outlet Level Monitoring EC	Variable	Variable	72in / 1829mm	None	Universal Input	Locking IEC C13 (30) Locking IEC C19 (6)	✓	✓	✓
US30015L	DUS3EGW1-30PHB7-2S02A9K00-S-A	Switched	Unit Level Monitoring EC	Variable	Variable	72in / 1829mm	None	Universal Input	Locking IEC C13 (18) Locking IEC C19 (12)	✓	✓	✓
US30014L	DUS3EGW1-36PT67-1S02A9K00-S-A	Switched	Unit Level Monitoring EC	Variable	Variable	72in / 1829mm	None	Universal Input	Locking IEC C13 (30) Locking IEC C19 (6)	✓	✓	✓
UR30007L	DUR3EGW1-30PHB7-2S02A9K00-S-A	Monitored	Outlet Level EC	Variable	Variable	72in / 1829mm	None	Universal Input	Locking IEC C13 (18) Locking IEC C19 (12)	✓	✓	✓
UR30006L	DUR3EGW1-36PT67-1S02A9K00-S-A	Monitored	Outlet Level EC	Variable	Variable	72in / 1829mm	None	Universal Input	Locking IEC C13 (30) Locking IEC C19 (6)	✓	✓	✓
UI30028	DU03EBB1-48CF17-2S02A9K00-S-A	Monitored	Unit Level EC	Variable	Variable	86in / 1683mm	None	Universal Input	Combination C13/C19 (48)	✓	✓	✓
UI30026	DU03E4B1-30CF17-2S02A9K00-S-A	Monitored	Unit Level EC	Variable	Variable	86in / 1683mm	None	Universal Input	Combination C13/C19 (30)	✓	✓	✓
UI30025	DU03E2R1-24CF17-2S02A9H00-S	Monitored	Unit Level EC	Variable	Variable	19in / 483mm	None	Universal Input	Combination C13/C19 (24)	✓	✓	✓

I. 「Configuration」をクリックし、「Vertical」を選びます。

rPDU Finder

Find the rack PDU most suitable for your application using the rPDU Finder.

Can't find what you need? Contact sales@vertiv.com or [your local Vertiv representative](#) with your requirements to design and configure your rack PDU. [Click here](#) for more on custom rPDU options.

Search Results: 65 Applied Filters: Country: Japan

Part #	Model #	Type	Amps	Volts	Rackmount Length	Cord Length	Plug Type	Receptacle (QTY)	Local Meter	Universal	Upgradeable
UU30010L	DUU3EGW1-30PHB7-2S02A9K00-S-A	Switched	30A	Variable	72in / 1829mm	None	Universal Input	Locking IEC C13 (18) Locking IEC C19 (12)	✓	✓	✓
UU30009L	DUU3EGW1-36PT67-1S02A9K00-S-A	Switched	30A	Variable	72in / 1829mm	None	Universal Input	Locking IEC C13 (30) Locking IEC C19 (6)	✓	✓	✓
US30015L	DUS3EGW1-30PHB7-2S02A9K00-S-A	Switched	30A	Variable	72in / 1829mm	None	Universal Input	Locking IEC C13 (18) Locking IEC C19 (12)	✓	✓	✓
US30014L	DUS3EGW1-36PT67-1S02A9K00-S-A	Switched	30A	Variable	72in / 1829mm	None	Universal Input	Locking IEC C13 (30) Locking IEC C19 (6)	✓	✓	✓
UR30007L	DUR3EGW1-30PHB7-2S02A9K00-S-A	Monitored	30A	Variable	72in / 1829mm	None	Universal Input	Locking IEC C13 (18) Locking IEC C19 (12)	✓	✓	✓
UR30006L	DUR3EGW1-36PT67-1S02A9K00-S-A	Monitored	30A	Variable	72in / 1829mm	None	Universal Input	Locking IEC C13 (30) Locking IEC C19 (6)	✓	✓	✓
UI30028	DU03EBB1-48CF17-2S02A9K00-S-A	Monitored	30A	Variable	66in / 1683mm	None	Universal Input	Combination C13/C19 (48)	✓	✓	✓
UI30026	DU03E4B1-30CF17-2S02A9K00-S-A	Monitored	30A	Variable	66in / 1683mm	None	Universal Input	Combination C13/C19 (30)	✓	✓	✓
UI30023	DU03E4W1-42CF17-1S02A9K00-S-A	Monitored	30A	Variable	72in / 1829mm	None	Universal Input	Combination C13/C19 (42)	✓	✓	✓

II. 「Amps」をクリックし、「30A」を選びます。

rPDU Finder

Find the rack PDU most suitable for your application using the rPDU Finder.

Can't find what you need? Contact sales@vertiv.com or [your local Vertiv representative](#) with your requirements to design and configure your rack PDU. [Click here](#) for more on custom rPDU options.

Search Results: 29 Applied Filters: Country: Japan Amps: 30A Configuration: Vertical

Part #	Model #	Type	Sub Category	Volts	Amps	Rackmount Length	Cord Length	Plug Type	Receptacle (QTY)	Local Meter	Universal	Upgradeable
PU30004L	MPU3EGW1-36PT68-3JL15A5A10-S-A	Switched	Outlet Level Monitoring EC	200V	30A	72in / 1829mm	10ft / 3m	JIS	Locking IEC C13 (30) Locking IEC C19 (6)	✓	-	✓
PU30002L	MPU3EGB1-24PJ48-3JL6A5A10-S	Switched	Outlet Level Monitoring EC	200V	30A	66in / 1683mm	10ft / 3m	JIS	Locking IEC C13 (20) Locking IEC C19 (4)	✓	-	✓
PU30001L	MPU3EGB1-24L138-3JL6A5A10-S	Switched	Outlet Level Monitoring EC	200V	30A	66in / 1683mm	10ft / 3m	JIS	Locking IEC C13 (24)	✓	-	✓
PS30004L	MPS3EGW1-36PT68-3JL15A5A10-S-A	Switched	Unit Level Monitoring EC	200V DELTA	30A	72in / 1829mm	10ft / 3m	JIS	Locking IEC C13 (30) Locking IEC C19 (6)	✓	-	✓
PS30003L	MPS3EGB1-24PH68-3JL15A5A10-S-A	Switched	Unit Level Monitoring EC	200V DELTA	30A	66in / 1683mm	10ft / 3m	JIS	Locking IEC C13 (18) Locking IEC C19 (6)	✓	-	✓
PS30002L	MPS3EGB1-24PJ48-3JL6A5A10-S	Switched	Unit Level Monitoring EC	200V	30A	66in / 1683mm	10ft / 3m	JIS	Locking IEC C13 (20) Locking IEC C19 (4)	✓	-	✓
PS30001L	MPS3EGB1-24L138-3JL6A5A10-S	Switched	Unit Level Monitoring EC	200V	30A	66in / 1683mm	10ft / 3m	JIS	Locking IEC C13 (24)	✓	-	✓
PR30004L	MPR3EGW1-36PT68-3JL15A5A10-S-A	Monitored	Outlet Level EC	200V DELTA	30A	72in / 1829mm	10ft / 3m	JIS	Locking IEC C13 (30) Locking IEC C19 (6)	✓	-	✓
PR30003L	MPR3EGB1-24PH68-3JL15A5A10-S-A	Monitored	Outlet Level EC	200V DELTA	30A	66in / 1683mm	10ft / 3m	JIS	Locking IEC C13 (18) Locking IEC C19 (6)	✓	-	✓

III. 「Volts」をクリックし、「200V」を選びます。

rPDU Finder

Find the rack PDU most suitable for your application using the rPDU Finder.

Can't find what you need? Contact sales@vertiv.com or [your local Vertiv representative](#) with your requirements to design and configure your rack PDU. [Click here](#) for more on custom rPDU options.

Part #	Model #	Type	Sub Category	Amps	Volts	Rackmount Length	Cord Length	Plug Type	Receptacle (QTY)	Local Meter	Universal	Upgradeable
PU30002L	MPU3EGB1-24L138-3JL6A5A10-S	Switched	Outlet Level Monitoring EC	30A	200V	66in / 1683mm	10ft / 3m	JIS	Locking IEC C13 (20) Locking IEC C19 (4)	✓	-	✓
PU30001L	MPU3EGB1-24L138-3JL6A5A10-S	Switched	Outlet Level Monitoring EC	30A	200V	66in / 1683mm	10ft / 3m	JIS	Locking IEC C13 (24)	✓	-	✓
PS30002L	MPS3EGB1-24PJ48-3JL6A5A10-S	Switched	Unit Level Monitoring EC	30A	200V	66in / 1683mm	10ft / 3m	JIS	Locking IEC C13 (20) Locking IEC C19 (4)	✓	-	✓
PS30001L	MPS3EGB1-24L138-3JL6A5A10-S	Switched	Unit Level Monitoring EC	30A	200V	66in / 1683mm	10ft / 3m	JIS	Locking IEC C13 (24)	✓	-	✓
PR30002L	MPR3EGB1-24PJ48-3JL6A5A10-S	Monitored	Outlet Level EC	30A	200V	66in / 1683mm	10ft / 3m	JIS	Locking IEC C13 (20) Locking IEC C19 (4)	✓	-	✓
PR30001L	MPR3EGB1-24L138-3JL6A5A10-S	Monitored	Outlet Level EC	30A	200V	66in / 1683mm	10ft / 3m	JIS	Locking IEC C13 (24)	✓	-	✓
PI30045L	MP03E4B1-26PJ68-3JL6A5A10-S	Monitored	Unit Level EC	30A	200V	66in / 1683mm	3m	JIS	Locking IEC C13 (20) Locking IEC C19 (6)	✓	-	✓
PI30010	MP03E4W1-42IZ68-3JL6A5A10-S	Monitored	Unit Level EC	30A	200V	70in / 1778mm	3m	JIS	IEC C13 (36) IEC C19 (6)	✓	-	✓
PI30005L	MP03E4W1-36PT68-3JL6A5A10-S	Monitored	Unit Level EC	30A	200V	72in / 1829mm	3m	JIS	Locking IEC C13 (30) Locking IEC C19 (6)	✓	-	✓

IV. 「PDU Type」をクリックし、今回は電力監視が必要なので「Monitored」を選びます。

rPDU Finder

Find the rack PDU most suitable for your application using the rPDU Finder.

Can't find what you need? Contact sales@vertiv.com or [your local Vertiv representative](#) with your requirements to design and configure your rack PDU. [Click here](#) for more on custom rPDU options.

Search by Product Part Number

SEARCH Reset

Country: Japan PDU Type: Monitored PDU Subtype: - Any - Amps: 30A Volts: 200V kW: - Any - Plug Type: - Any - Configuration: Vertical PDU Length: - Any -

Plug Form: - Any - Receptacle Type: - Any -

Local Display: Any No Yes Breaker: Any No Yes Stocked: Any No Yes Universal: Any No Yes Upgradeable: Any No Yes

Search Results: 5 Applied Filters: Country: Japan Amps: 30A Volts: 200V Configuration: Vertical

Part #	Model #	Type	Sub Category	Amps	Volts	Rackmount Length	Cord Length	Plug Type	Receptacle (QTY)	Local Meter	Universal	Upgradeable
PR30002L	MPR3EGB1-24PJ48-3JL6A5A10-S	Monitored	Outlet Level EC	30A	200V	66in / 1683mm	10ft / 3m	JIS	Locking IEC C13 (20) Locking IEC C19 (4)	✓	-	✓
PR30001L	MPR3EGB1-24L138-3JL6A5A10-S	Monitored	Outlet Level EC	30A	200V	66in / 1683mm	10ft / 3m	JIS	Locking IEC C13 (24)	✓	-	✓
PI30045L	MP03E4B1-26PJ68-3JL6A5A10-S	Monitored	Unit Level EC	30A	200V	66in / 1683mm	3m	JIS	Locking IEC C13 (20) Locking IEC C19 (6)	✓	-	✓
PI30010	MP03E4W1-42IZ68-3JL6A5A10-S	Monitored	Unit Level EC	30A	200V	70in / 1778mm	3m	JIS	IEC C13 (36) IEC C19 (6)	✓	-	✓
PI30005L	MP03E4W1-36PT68-3JL6A5A10-S	Monitored	Unit Level EC	30A	200V	72in / 1829mm	3m	JIS	Locking IEC C13 (30) Locking IEC C19 (6)	✓	-	✓

SHARE RESULTS

アウトレット毎の電力監視が必要な場合には「Outlet Level EC」を選んでください。

V. さらに「PDU Subtype」をクリックし、「Unit Level EC」を選びます。

rPDU Finder

Find the rack PDU most suitable for your application using the rPDU Finder.

Can't find what you need? Contact sales@vertiv.com or [your local Vertiv representative](#) with your requirements to design and configure your rack PDU. [Click here](#) for more on custom rPDU options.

Country: Japan | PDU Type: Monitored | PDU Subtype: Unit Level EC | Amps: 30A | Volts: 200V | kW: - Any - | Plug Type: - Any - | Configuration: Vertical | PDU Length: - Any -

Plug Form: - Any - | Receptacle Type: - Any - | Total Receptacle: - Any - | Local Display: Any No Yes | Breaker: Any No Yes | Stocked: Any No Yes | Universal: Any No Yes | Upgradeable: Any No Yes

Search Results: 3 | Applied Filters: Country: Japan | PDU Subtype: Monitored, Unit Level EC | Amps: 30A | Volts: 200V | Configuration: Vertical

Part #	Model #	Type	Sub Category	Amps	Volts	Rackmount Length	Cord Length	Plug Type	Receptacle (QTY)	Local Meter	Universal	Upgradeable
PI30045L	MP03E4B1-26PJ68-3JL6A5A10-S	Monitored	Unit Level EC	30A	200V	66in / 1683mm	3m	JIS	Locking IEC C13 (20) Locking IEC C19 (6)	✓	-	✓
PI30010	MP03E4W1-42IZ68-3JL6A5A10-S	Monitored	Unit Level EC	30A	200V	70in / 1778mm	3m	JIS	IEC C13 (36) IEC C19 (6)	✓	-	✓
PI30005L	MP03E4W1-36PT68-3JL6A5A10-S	Monitored	Unit Level EC	30A	200V	72in / 1829mm	3m	JIS	Locking IEC C13 (30) Locking IEC C19 (6)	✓	-	✓

SHARE RESULTS

VI. レセプタクルの種類(ロックの有無等)の指定がなければ、上記のように「PI30045L」、「PI30010」、「PI30005L」の3つのオプションが表示されます。型番(Part#)をクリックすると詳細を確認できます。

OVERVIEW

Upgradeable Unit Level EC Monitored rPDUs provide reliable power distribution to critical IT equipment while delivering a comprehensive view of input level power usage via remote network access. Includes environmental monitoring capabilities to obtain real-time environmental metrics. Upgrade the hot-swappable monitoring device on select units to leverage new technologies and accommodate changing business needs.

Benefits

- Reliable power distribution with local and remote power monitoring options offer quick access to critical power usage information to evaluate energy usage trends and maximize uptime.
- Environmental monitoring capabilities with the addition of optional environmental sensors ensure users have critical infrastructure data at their fingertips to prevent climate-related equipment failure and system downtime.
- Gather comprehensive power data at the palm of your hand with the use of the Vertiv VLC mobile app.
- Fault-Tolerant Daisy Chaining with RSTP simplifies intelligent rPDU connectivity and ensures data is reported even when a break in the network chain occurs. Supports up to 40 rPDUs.
- Every unit is 100% tested for reliability and functionality.

SPECIFICATION SHEET

MANUAL



Part #: PI30005L

Model Number: MP03E4W1-36PT08-3JL6A5A10-S

Category: Monitored

Sub Category: Unit Level EC


Power Configuration: 30A, 200V, 6.0kW

Physical Configuration: 72in / 1829mm, Vertical

Product Summary: rPDU, Monitored Unit Level EC, 30A, 200V, 6.0kW, Vertical, (30) Locking IEC C13, (8) Locking IEC C19, 3m power cord with L6-30P, Black Powder Coat.

Monitoring: Input power monitoring with breaker level current monitoring. Environmental monitoring via optional remote sensors. Daisy chain Ethernet connectivity. Local high visibility LED display.

Plug Form: **Receptacle:**



Chassis Color Options:



To discuss color options, contact your local sales representative.

Product Specification and Options

System Features	
Monitoring	Input power monitoring with breaker level current monitoring. Environmental monitoring via optional remote sensors. Daisy chain Ethernet connectivity. Local high visibility LED display.
Monitoring Level 1	Phase (A) Monitoring (kWh, W, VA, PF, V, A) Power Measurements Compliant with ANSI C12.1 and IEC 62053-21 at 1% Accuracy Class Requirements
Monitoring Level 2	Circuit / Breaker Monitoring (A) Circuit/Breaker Current Measurements Independently Tested and Verified at 2% Accuracy
VLC Support	Yes
Quantity Of Inputs	1
Voltage	200-240V
Current	30A
VA per Input (Load Capacity)	6.0kW (200V)
Frequency	50/60Hz
Over Current Protection	(2) 20A Double Pole Magnetic Breakers
Switch	Breaker/Switch Combination
Scrolling / Rotatable Digital Display	Yes
Power Cable Wire Gauge	5.5mm ²
Power Cable Length	10ft / 3m
Power Entry Location	Bottom Front
Plug Type	JIS C8303, 2P/3W, 30A, 250V Locking, NEMA L6-30P
Combined Total Receptacle/Socket Quantity	36
Receptacle/Socket Type #1	U-Lock IEC C13
- Quantity on Face	30
- Quantity per Breaker	15
- U-Lock Color ID	2 Circuit - Orange, Green
- Style	Individual
- Voltage per Receptacle/Socket	200V
Receptacle/Socket Type #2	U-Lock IEC C19
- Quantity on Face	6
- Quantity per Breaker	3
- U-Lock Color ID	2 Circuit - Orange, Green
- Style	Individual
- Voltage per Receptacle/Socket	200V
Internal RMS Voltage Sensor	Yes
Internal RMS Current Sensor	Yes
Network Connection	Dual 10/100Mbps Ethernet
Protocols Supported	DHCP, HTTP, HTTPS, IPv4, IPv6, LDAP, NTP, RADIUS, RSTP, SSH, SMTP, SNMP (v1/v2/v3), Syslog, TACACS+
Data Access Formats	CSV datalog, JSON API, JSON datalog
USB Support	Yes
IP Reset Button	Yes
Hard Reboot Button	Yes
Serial Connection	RS232 via RJ45
Remote Sensor RJ Connection Jacks	1 (Supports up to 16 Sensors)
Maximum Operating Temperature	60C / 140F
Heavy Steel - Powder Coat Finish	Black
Configuration	72in / 1829mm Vertical Rackmount
793B Vertical Mounting Bracket Kit	Yes
Toolless Mounting Hardware - Center to Center Spacing	155mm and 1645mm
Country of Origin	USA, TAA Compliant
Product Warranty	5-year limited warranty if registered within 120 days of purchase, otherwise warranty defaults to 3 years
Certification/Agency Approvals	RoHS Compliant
Certification/Agency Approvals	METI DENAN
Chassis Dimensions (LxWxD)	1829mm x 51mm x 51mm
Shipped Weight	16lbs (7.26kg)

VII. 例えば「PI30005L」をクリックすると詳細ページが表示されます。ページ上部の「SPECIFICATION SHEET」をクリックすれば、仕様書をダウンロードすることも可能です。

rPDU Finder

Find the rack PDU most suitable for your application using the rPDU Finder.

Can't find what you need? Contact sales@vertiv.com or [your local Vertiv representative](#) with your requirements to design and configure your rack PDU. [Click here](#) for more on custom rPDU options.

[Show Map](#) [Reset](#)

Country: PDU Type: PDU Subtype: Amps: Volts: kW: Plug Type: Configuration: PDU Length:

Plug Form: Receptacle Type: Total Receptacle: Local Display: Breaker: Stocked: Universal: Upgradeable:

Search Results: 84 Applied Filters:

Part #	Model #	Type	Sub Category	Amps	Volts	Rackmount Length	Cord Length	Plug Type	Receptacle (QTY)	Local Meter	Universal	Upgradeable
UU30010L	DUU3EGW1-30PHB7-2S02A9K00-S-A	Switched	Outlet Level Monitoring EC	Variable	Variable	72in / 1829mm	None	Universal Input	Locking IEC C13 (18) Locking IEC C19 (12)	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
UU30009L	DUU3EGW1-36PT67-1S02A9K00-S-A	Switched	Outlet Level Monitoring EC	Variable	Variable	72in / 1829mm	None	Universal Input	Locking IEC C13 (30) Locking IEC C19 (6)	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
US30015L	DUS3EGW1-30PHB7-2S02A9K00-S-A	Switched	Unit Level Monitoring EC	Variable	Variable	72in / 1829mm	None	Universal Input	Locking IEC C13 (18) Locking IEC C19 (12)	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
US30014L	DUS3EGW1-36PT67-1S02A9K00-S-A	Switched	Unit Level Monitoring EC	Variable	Variable	72in / 1829mm	None	Universal Input	Locking IEC C13 (30) Locking IEC C19 (6)	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
UR30007L	DUR3EGW1-30PHB7-2S02A9K00-S-A	Monitored	Outlet Level EC	Variable	Variable	72in / 1829mm	None	Universal Input	Locking IEC C13 (18) Locking IEC C19 (12)	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>

このように、必要な要件を選ぶだけで該当の型番をお探しいただけます。使い方がわからない、ここに欲しい製品がないといった場合にはお気軽にお問合せ下さいませ。

